How to Create an LTI Developer Key for Conker

Scribe

1 Navigate to www.conker.ai

2 Login, and click Profile

Upgrade

• • • Enter topic ——— ○ Customize ——— ○ Generate

Create a Conker quiz ✨
Enter a learning topic below to get started

e.g. "Photosynthesis"

Try an example quiz   The Solar System

I have my own source material

3 Click "Account settings"

Upgrade

Will Jackson
will@gedu.demo.justmot...
Conker Free

⊙ Enter topic ──── ○ Customize ──── ○ Generate

Account settings

Suggest a feature

Create a Conker quiz ✨
Enter a learning topic below to get started

Logout

e.g. "Photosynthesis"

Try an example quiz   The Solar System

I have my own source material

---

4 Click "LTI Configuration"

🎓 School

Manage users

Manage domains

Analytics

>_ Integrations

LTI Configuration

Your Plan

Conker Free

Organization Plan

Conker for Schools Annual billing Active
Ends on Sep 15, 2023

View and manage billing details
View and edit billing, as well as cancel your plan

Need anything else?
Further assistance is available via our support site

5 Click to "Copy link" for the LTI URL

ɔn

URL

https://s.mote.com/v1/f/lti/json   Copy link

Redirect URIs

https://conker.ai/canvas/forms
https://conker.ai/canvas/assignment-
target-link-uri   Copy

How to set up LTI configuration

6 Switch tabs to Canvas

7 Select 'Admin' and then select your relevant Canvas account

8 Click "Developer keys"

9 Click "Create a Developer Key"

Details	Stats	Type	State	Actions

+ Developer Key

Nothing here yet

10 Click "Create an LTI Key"

+ Developer Key

Details	Stats	Type	State	A...

+ API key

+ LTI Key

Nothing here yet

11 Click the "Method" field.

Configure

Method

Manual entry

Required Values

* Title

* Description

* Target Link URI

* OpenID Conn

---

12 Click "Enter URL"

name:

named Tool

er email:

lirect URIs:

s:

Configure

Method

Manual entry

Manual entry

Paste JSON

Enter URL

Title

Des

* Target Link URI

* Ope

* JWK Method

13 Click the "JSON URL" field.

name:

naamed Tool

er email:

Configure

Method

Enter URL

rect URIs:

JSON URL

es:

14 Paste the URL into this field.

Unnamed Tool

Owner email:

Redirect URIs:

Notes:

Method

Enter URL

JSON URL

https://s.mote.com/v1/f/lti/json

15   Click the "Key name:" field.

Key settings

Key name:

Unnamed Tool

Owner email:

Redirect URIs:

Notes:

Configure

Method

Enter URL

JSON URL

https://s.mote.com/v1/f/lti/json

16   Type "Conker"

17   Switch back to your Conker tab.

18 Click "Copy" to copy the Conker 'Redirect URIs"

URL

https://s.mote.com/v1/f/lti/json   **Copy link**

Redirect URIs

https://conker.ai/canvas/forms
https://conker.ai/canvas/assignment-
target-link-uri   **Copy**

How to set up LTI configuration

Client ID

Client ID

19 Navigate back to Canvas, Select the "Redirect URIs:" field, and paste the values.

Key name:

Conker

Owner email:

Redirect URIs:

|

Notes:

Configure

Method

Enter URL

JSON URL

https://s.mote.com/v1/f/lti/json

20 Click "Save"

Cancel   Save

21 Click 'ON' to enable your developer key.

+ Developer Key

Details	Stats	Type	State	Actions
241830000000000119 Show key	Access Token Count: 0 Created: 19 Jun at 3:37 Last Used: Never		ON OFF	✏️ 🗑️

22 Double-click or right click to select the 'Client ID' string shown.

Developer keys

Account   Inherited

Name	Owner email	Details	Stats	Ty
Conker	No email	241830000000000119 Show key	Access Token Count: 0 Created: 19 Jun at 3:37 Last Used: Never	

23 Press **CMD** + **C**

24   Navigate back to Conker, and then paste the Client ID string into the field shown.

25   Press **CMD** + **V**

26   Click here.

LTI Configuration

https://conker.ai/canvas/assignment-target-link-uri

How to set up LTI configuration

Client ID

241830000000000119

Deployment ID

Deployment ID

27   Navigate back to Canvas, and click "Settings"

Help

Themes

Developer keys

Data Services

Admin tools

ePortfolio
Moderation

Settings

28 Click "Apps"

Notifications   Admins   Announcements   Reports   Apps   Feature options

ogies, Inc

ults to English (United Stat ⌄

any browser/OS language settings. Preferred languages can still be set at the course/user level.

ult (23:59) ⌄

e user interface for setting due dates. It does not change the time due for any existing assignments.

e (US & Canada) (-07:00/· ⌄

29 Click "View App Configurations"

tifications   Admins   Announcements   Reports   Apps   Feature options

Manage app list   View App Configurations

vas. They can be added to individual courses, or to all courses in an account. Once configured, you can link to them through course ools.

Filter by name

Accepi   ACCESS VIDEO

30 Click "+ App"

tifications   Admins   Announcements   Reports   Apps   Feature options

+ App   View App Centre

vas. They can be added to individual courses, or to all courses in an account. Once configured, you can link to them through course
ools.

Add to RCE toolbar ⓘ

NA   ⚙ ▾

NA   ⚙ ▾

31 Select the 'Configuration Type' dropdown

Settings   Quotas   Integrations   Notifications   Admins   Announcements   Reports   Apps   Feature option

d App

uration Type

ual entry

ner key   Shared secret

umer key   Shared secret

URL

:h URL

32 Select 'By Client ID'

33 Press **CMD** + **V**

34 Click "Submit"

Configuration Type

By Client ID

Client ID

241830000000000119

To obtain a client ID, an account admin will need to generate an LTI developer key.

Cancel   Submit

---

35 Click "Install"

Add App

Tool "Conker" found for client ID 241830000000000119. W

Cancel   Install

36   Click the settings icon ⚙️⃠ of your new Conker app.

Add to RCE toolbar   ⓘ

NA	⚙️ ▾
NA	⚙️ ▾
NA	⚙️ ▾
NA	⚙️ ▾
✕	⚙️ ▾

37   Click "Deployment ID"

NA	⚙️ ▾
NA	⚙️ ▾
NA	⚙️ ▾
NA	ⓘ Placements
✕	🔌 Deployment ID
	🗑 Delete

38   Double-click or right-click to select the text string of your Deployment ID

Admin Analytics

Canvas Data Services

Conker

New Analytics

Vimeo

Deployment ID for Conker App [×]

158:1bd21dc667dff48b997b9b352e331f3daa3e5854

Close

39   Press **CMD** + **C**

40   Click "Close"

Deployment ID for Conker App   ×

158:1bd21dc667dff48b997b9b352e331f3daa3e5854

Close

41   Navigate back to Conker, and select the "Deployment ID" field.

How to set up LTI configuration

Client ID

241830000000000119

Deployment ID

Deployment ID

42 Press **CMD** + **V**

43 You should now have completed all of the steps to set up your Canvas integration!

How to set up LTI configuration

Client ID

241830000000000119

Deployment ID

158:1bd21dc667dff48b997b9b352e331f3daa3e585

44 Click here.

LTI Configuration

https://conker.ai/canvas/assignment-
target-link-uri

How to set up LTI configuration

Client ID

241830000000000119

Deployment ID

158:1bd21dc667dff48b997b9b352e331f3daa3